NOTICE OF BUDGET HEARING

Bonneville County Fire Protection District No. 1 Fiscal Year 2025-26

Tuesday, August 26, 2025

A public hearing to consider the proposed annual budget of the Bonneville County Fire Protection District No. 1 for the 2025-2026 fiscal year will be held Tuesday, the 26th day of August, 2025 commencing at 12:00 p.m. at 490 Memorial Drive, Idaho Falls, Idaho 83402, Lower Level Conference Room No B. A copy of the attached proposed budget is available for public inspection during business hours (Monday through Friday, 8:30 a.m. to 5:00 p.m.) at the above address. All interested parties are invited to attend.

/s/ Longlas R Nelson, Assistant Secretary

Bonneville County Fire Protection District #1

SEE ATTACHMENT

Bonneville County Fire Protection District #1 Amended Proposed Budget for Year Ended 9/30/2026



Revenues	Budgeted 2025-2026	
Taxes-limited to 3% increase Contract fire revenue Interest on investments (estimated) Miscellaneous - net fees collected by Ammon	4,374,977 150,000 275,000 40,000 4,839,977	
Expenditures	_	
Advertising and Public Relations Audit Vehicle and travel Building and Grounds Maintenance Equipment Maintenance Capital Outlay Commissioner's Expense(includes pr taxes, wc, PERSI) Computer Support and Equipment Property insurance Training and Safety Workmens Compensation Insurance Dues and Subscriptions Legal Accounting Supplies and Miscellaneous Utilities Employee Payroll, Retirement, Benefits City of Idaho Falls Contract	10,000 20,000 25,000 20,000 66,729 61,000 81,000 58,000 40,000 18,000 68,000 3,000 82,000 63,000 75,000 31,000 2,300,000 1,818,248	
Total	4,839,977	
Excess (Deficit)	(0)	
Proposed payment to the City of Idaho Falls for the year ended 9-30-2026		
	October 10, 2025 January 10, 2026 April 10, 2026 July 10, 2026	454,561.88 454,561.88 454,561.88 454,561.88
	TOTAL	1,818,247.52
Proposed Budget:		
General Fund (3%) New Construction Less: Property Tax Replacement Annexation Urban Renewal Maximum non-exempt property tax budget	4,345,708 F 106,358 F (80,248) 655 2,504	